Unifying Prosodic and Segmental Repair: Metathesis and Epenthesis in Uab Meto

PhoNE 2019, April 13, 2019 Kate Mooney

1 Overview

- Languages differ on what linear orders are contrastive
- In English, all segments are ordered with respect to one another (and thus consonant-vowel orders are contrastive):

(1) **English**

a. sap 'sop' spa 'spa' b. ski 'ski' sik 'seek' c. sait 'sight' star 'sty' d. f.i 'free' fiı 'fear' e. .ion 'reown' zino 'Reno' f. peiji 'payee' pijei 'PA'

• In Uab Meto (Austronesian; Timor, Indonesia) consonants are only ordered with respect to one another (as are vowels), and so surface order between consonants and vowels optimizes phonotactics and is not contrastive:

(2)**Uab Meto**

a. meop 'work' a-mepo-t 'worker'

b. ?oɛl 'younger brother' ?ole-f 'his younger brother' c. sonof 'palace'

sonfa-m 'palace-and'

• Some linear order changes are predictable from the variants in the phonotactic environment, such as affixation or prosodic position – these are always variants on CV/VC orders

manu 'chicken (phrase final)'

- However, precedence relationships between consonants are unpredictable and need to be stored; the same goes for vowel-vowel precedence relationships
- (3) Consonant-Consonant Precedence is Unpredictable

a. nisi 'tooth' sini 'filter' b. ta?e 'border' ?ate 'liver'

(4) Vowel-Vowel Precedence is Unpredictable

d. maun 'chicken (phrase medial)'

poε? 'appear' a. peo? 'tell' b. niuf 'thousand' (Middelkoop 1963) nuif 'bone'

c. mfau 'many' mfua 'you de-kernel (it)'

• Proposal: Uab Meto is a language where learners have segmented vowels and consonants onto separate tiers (similar to proposals for Semitic in McCarthy 1986, Rotuman in McCarthy 2000)

(5) Proposed stored form for mepo/meop 'work':

$$\left\{ \begin{array}{ccc} m & > & p \\ \epsilon & > & o \end{array} \right\}$$

- Consequences for LINEARITY (or another precedence-preserving faithfulness constraint):
 - Forms that preserve this precedence order: mepo, meop, empo, empo, empo, and mpeo
 - Forms that do not preserve this precedence order: pεmo (*p>m), moεp (*o>ε), ...
- I assume that Uab Meto has undominated LIN constraint this equates to the generalization that consonants cannot be reordered with respect to one another, nor can vowels
- How this is going to work out:
 - Linear order between consonants and vowels is determined by optimizing for a variety of phonotactic constraints, which we can manipulate by varying the morphological or prosodic context
 - Unlike Semitic (McCarthy 1986), Uab Meto does not allow for infixation, and so certain consonantvowel orders unambiguously signal morpheme boundaries

2 Words with one vowel

- Word-final consonant clusters are never possible in Uab Meto, but morphemes prefer to end in consonants in some words, this results in epenthesis
- To capture this, I introduce three constraints, *CC#, C@MORPH, and DEP
- (6) *CC#: Assign one violation for each CC cluster that is word-final
- (7) C@MORPH: Assign one violation for any morpheme that is not consonant-final (see Final-C McCarthy & Prince 1994; 22)
- (8) DEP: Every element in the output has a correspondent in the input. (McCarthy & Prince 1994: 9)
- For a form like $[k\acute{a}n-am]$ 'your name', we have an underlying representation with the non-predictable material: $\{k>n, a\}-m$

/{k>n, á}-m/	*CC#	C@Morph	DEP
a. kán-m	*!	 	
👺 b. kán-am		 	*
c. kná-m		*!	
d. kán-ma		*!	*

- Another generalization: stressed syllables have onsets in Uab Meto
- To capture this, I introduce *NO-ONSET-STR, which penalizes onsetless stressed syllables
 - Note: A constraint like ONSET would not suffice in this situation, because we also have forms like *[atóin], which has two onsetless syllables but prioritizes giving an onset to the stressed vowel and satisfying C@MORPH

- (9) *NO-ONSET-STR: Assign one violation for each stressed vowel \acute{V} that doesn't have a consonant directly to its left
 - This constraint rules out examples from the previous case like *[ákn-am]

/{k>n, α}-m/	*No-Onset-Str	DEP
a. ákn-m	*!	
b. ákn-am	*!	*
🕫 c. kán-am		*

3 Words with two vowels

- Uab Meto has a general preference for disyllabic words: empirically, this is observed in epenthesis being blocked in certain configurations
 - For instance [? $\delta\epsilon$ l] 'younger brother' is realized as [? δ l ϵ -f] with the suffix -f 'his younger brother', even though this violates C@MORPH
- This is represented through MAX-DISYLLABIC constraint (modelled after MAX-BIN in Ito & Mester 2003, Mester 1994)
- (10) MAX-DISYLLABIC: In words that have more than two vowels, assign one violation for each additional vowel.
 - Consider the form [ólɛ-f] with representation / { ?>l, o>ɛ}-f/

/{?>l, o>ε}-f/	Max-Disyllabic	C@Morph	DEP
😰 a. ?ólɛ-f		*	
b. ?óɛl-af	*!		*

- When we affix multiple consonant-only suffixes, we then get epenthesis again, because changing the order of [$\delta\epsilon$ l] and [δ l ϵ l] won't repair the *CC# violation
- This correctly predicts that we should get [$\delta\epsilon$ l-f-am] from /{2>l, o> ϵ }-f-m/

/{?>l, o>ε}-f-m/	*CC#	Max-Disyllabic	C@Morph	DEP
a. ?óɛl-f-m	*!			
b. ?ólε-f-m	*!		*	
c. ?óɛl-af-m	*!	*		*
r d. ?óɛl-f-am		*		*
e. ?ólε-f-am		*	*!	*

- Unlike other languages that have separate tiers for consonants and vowels (such as Arabic), Uab Meto does not have any infixation
- This lack of infixation is represented through *Infix constraint (opposite of Homomorphemic-Linearity in Horwood 2004)
- (11) *INFIX: If morpheme A > morpheme B, assign a violation for each segment β belonging to morpheme B that precedes a segment α from morpheme A.

• This correctly predicts that *[\acute{o} lfɛm] is not a licit form of /{?>l, o>ɛ}-f-m/, and instead we get [\acute{o} el-f-am]

/{?>l, o>ε}-f-m/	*Infix	MAX-DISYLLABIC	C@Morph	DEP
a. $?$ ó $l\langle f \rangle \epsilon$ -m	*!		*	
🔓 b. ?óεl-f-am		*		*

- Interim summary:
 - Monosyllabic words generally epenthesize to avoid CC# clusters ([kán-am])
 - Disyllabic words will repair the same *CC# violation by reordering a morpheme-final VC/CV sequence, even if that means violating C@MORPH ([?όlε-f])
 - In cases where reordering consonants and vowels within a morpheme cannot repair the *CC# violation, epenthesis occurs instead ([?όεl-f-αm])

4 Words with more than two vowels

- In words with more than two vowels, we see that VV clusters are slightly dispreferred
- To capture this, I introduce a *VV constraint
- (12) *VV: Assign a violation for any VV sequence
 - Consider the form [a-mépo-t] 'worker' from the root word [méop] 'work' *VV rules out *[a-mpéo-t]

/α-{m>p, ε>o}-t/	*CC#	Max-Disyllabic	C@Morph	*VV
a. α-mέop-t	*!	*		*
👺 b. a-mépo-t		*	*	
c. a-mpéo-t		*	*	*!
d. a-méop-at		**!		*

If we affix additional vowel-initial suffixes onto [α-mέpo-t], we then get [α-méop-t-in] 'workers' because it satisfies C@MORPH without incurring a *CC# violation

/α-{m>p, ε>o}-t-in/	*CC#	MAX-DISYLLABIC	C@Morph	*VV
👺 a. α-mέop-t-in		**		*
b. α-mέpo-t-in		**	*!	
c. α-mpέo-t-in		**	*!	*
d. a-méop-at-in		***!		*

- This *VV constraint must be ranked low, because words will begin with an onset where possible even if that causes them to violate *VV
- This means that we also have a low-ranked *#V constraint that militates against vowel-initial words
- (13) *#V: Assign one violation for each word that begins with a vowel.

• Thus, in words like [boláin] 'peel', with the form $/\{b>l>n, o>a>i\}/$, we get [boláin] and not *[obálin]

/{b>l>n, o>a>i }/	*No-Onset-Str	C@Morph	*#V	*VV
a. boálin	*!			*
🔓 b. boláin				*
c. obálin			*!	
d. boláni		*!		

- However, in words with two consonants and three vowels, we expect vowel-initial words to still be possible
- For instance, consider the form /{t>n, a>o>i}/ of the word [atóin] 'man'

/{t>n, a>o>i}/	*No-Onset-Str	C@Morph	*#V	*VV
a. tanói		*!		*
b. atóni		*!	*	
摩 c. atóin			*	*
d. taóin	*!			**

• Note: both *#V and *VV must be dominated by DEP, otherwise we would expect consonant epenthesis in each of these cases

5 Words with one vowel and three consonants

- In words with three consonants and only one vowel, we'd expect a CCVC form
- For instance, consider the word [kf ϵ t] 'slingshot', with the form /{k>f>t, ϵ }/ from this, we'd expect [kf ϵ t] and not *[kf ϵ t] or *[k ϵ t]

/{f>k>t, ε}/	*CC#	C@Morph	DEP
a. kéft	*!		
👺 b. kfét			
c. kfté		*!	
d. káfet			*!

• If the first two consonants cannot form an onset cluster, such as $\it ?l$ in $\it [?ulan]$ 'rain', epenthesis occurs instead

/{?>l>n, u}/	*CC#	*#?L	C@Morph	DEP
a. ?úln	*!	 		
摩 b. ?úlan		l		*
c. ?úlna		 	*!	
d. ?lún		*!		

- A note on stress: Uab Meto stress is uniformly assigned to the penultimate vowel of the root, and so I assume epenthesized vowels cannot be stressed
- (14) *STRESS-EPEN: Assign a violation for an epenthesized vowel that receives stress.

/{?>l>n, u}/	*STRESS-EPEN	*#?L	DEP
🔓 a. ?úlan		 	*
b. ?álun	*!		*


• If we affix a vowel-initial suffix, the epenthesized vowel is not needed, as in $[?úln-\epsilon]$ 'the rain'

/{?>l>n, u}-ε/	*CC#	*#7L	*INFIX	Max-Disyllabic	C@Morph	DEP
a. ?úlαn-ε		 	 	*!		*
👺 b. ?úln-ε		l I	l			
c. ?úl⟨ε⟩n		 	*!			
d. ?lún-ε		*!	l			

• Note, this isn't likely to be apocope because it doesn't occur very generally: [kfét] 'slingshot'/[kfétɛ] 'the slingshot', [máun] 'chicken'/[máun-ɛ] 'the chicken', [atóin] 'man'/[atóin-ɛ] 'the man'

5.1 Interim summary: Monomorphemic forms

• To sum up, we've seen the following constraint ranking thus far:



• In **monomorphemic** forms, this predicts the following:

	Ú	ÝV	VÝV
C	CÝ	CÝV	VCÝV
	há 'four'	háu 'wood'	_
CC	CÝC	CÝVC	VCÝVC
	kán 'name'	mέοp 'work'	atóin 'man'
CCC	CCÝC	CÝCVC	CVCÝVC
	kfét 'slingshot'	nésen 'middle'	boláin 'peel'
*[CC]C	CÝCAC	CÝCVC	CVCÝVC
	?úlan 'rain'	?áluk 'bag'	_
CCCC	CCÝCAC	CCÝCVC	CVCÝCVC
	plénat 'command'	kníno? 'clean, pure'	bonátin 'fall flat'

6 Discussion and Predictions

- Two advantages of this proposal:
 - Certain consonant-vowel sequences unambiguously signal morpheme boundaries (Trubetskoy 1969: 273-297)
 - "Larger-scale" phonotactics (i.e. sentence prosody) also cause alternations in surface consonantvowel orders

6.1 Certain sequences signal morpheme boundaries

- Certain linear orders between consonants and vowels signal to speakers that there must be a morpheme boundary
- One example of this is the word [bijjáɛ] 'buffalo' (CVCÝV)
- If it were monomorphemic, our model would incorrectly predict * $[ib\acute{\alpha} Ej\acute{j}]$ (VCÝVC) as the surface form
- This surface form is only compatible with a bimorphemic analysis [bijj-áe] (CVC-ÝV)

/{b>jj, i}-{α>ε}/	*No-Onset-Str	*Infix	C@Morph	*#V
😰 a. bijj-άε		 	*	
b. ib- $\acute{a}\epsilon \langle \widetilde{\mathfrak{jj}} \rangle$		*!		*
c. ib-ά⟨ĵj⟩ε		*!	*	*

- Recall, we also have a constraint *#V that militates against vowel-initial words
- This correctly predicts that we should see $[bijj\acute{a}\epsilon]$ and not * $[ibjj\acute{a}\epsilon]$

/{b>jj, i}-{a>e}/	C@Morph	*#V
a. ib͡ɟj̄-άε	*	*!
👺 b. bijj-άε	*	

• While inserting this morpheme boundary may seem stipulative, looking further into it shows that $bi(\widehat{\mathfrak{fi}})$ - is seen as a prefix for a variety of hooved mammals:

(15)	a.	biblus	'deer'	
	b.	bibi	'goat'	
	c.	bikase	'horse'	
	d.	bibdomba	'sheep'	
	e.	bikaeslukemnanu	'mule'	(Manhitu 2007)

6.2 Prosodically-triggered alternations

- Might expect that other things could trigger metathesis on the sentential level, and they do!
- **Prosodic marking:** Certain syntactic/prosodic boundaries coincide with a [+SONORANT]: vowels>l, β , and $\hat{j}\hat{j}$

- (16) Prosodic marking in the verbal domain
 - a. au??-aim bikase?i] $_{PrEdge}$ 1SG 1.AGR-look.for horse DEM I look for the horse.
 - b. bikase?i, au??-ami] PrEdge

 DEM horse, 1SG 1.AGR-look.for

 The horse, I look for (it).
- (17) Prosodic marking in the nominal domain
 - a. *máun* fújj]_{PrEdge} chicken wild 'wild chicken'
 - b. *mánu*]_{PrEdge} chicken 'chicken'
- (18) SON@PREDGE: Assign one violation for a non-sonorant that coincides with a prosodic edge.
 - Consider the word 'chicken' /{m>n, α >u when it appears at a prosodic/syntactic edge \rightarrow [mánu] 'chicken', as in (18b.)

/{m>n, a>u-] _{PrEdge} /	Son@PrEdge	C@Morph	*VV
a. máun	*!		*
👺 b. mánu		*	
c. mnáu		*	*!

• In contrast, if the same word is embedded within a larger nominal constituent, we get [máun-fujj] 'wild chicken', as in (18a.)


$/\{m>n, \alpha>u-\{f>\widehat{fj}, u\}-]_{PrEdge}/$	SON@PREDGE	C@Morph	*VV
a. mánu-fujj		*!	
👺 b. máun-fujj			*
c. mnáu-fujj		*!	*

6.3 Comparison with Rotuman

- The Uab Meto pattern superficially resembles the well-known case of **Rotuman** (McCarthy 2000, Besnier 1987, Takahashi 2018) where metathesis is primarily conditioned by syntactic context
- But Uab Meto is not just a copy of the Rotuman pattern: Uab Meto metathesis is based in phonotactic conditioning, where alternations in consonant-vowel orders occur in complementary distribution with epenthesis
- Rule-based approaches to Uab Meto metathesis (Steinhauer 1993, 1996, Edwards 2016, 2018) beg
 the question: why is metathesis the favored operation for both phonotactic repair and prosodic
 marking?
 - This approach has a response: metathesis comes for free in the language, because consonants and vowels fall onto separate tiers
 - Thus, consonant-vowel metathesis (and not epenthesis) is expected to be the preferred general strategy for optimizing phonotactic and prosodic well-formedness

7 Conclusion

- In Uab Meto, surface linear order is not contrastive; rather only orders between consonants and other consonants or vowels and other vowels are
- This surfaces in how Uab Meto can rearrange the consonants and vowels within morphemes to optimize (quite ordinary) phonotactic preferences:
 - Stressed vowels have onsets
 - No word-final CC clusters
 - Words are disyllabic (or shorter) when possible
 - Morphemes end in a consonant
 - Limit epenthesis



- This project suggests that the set of languages with tier-based representations may be larger than first assumed
 - Uab Meto does not have template-morphology, and yet it shares separating consonants and vowels onto separate tiers with languages like Arabic (McCarthy 1986)
 - Nor does Uab Meto have long-distance harmony effects, and yet variations in surface linear order are enough for learners to segment consonants and vowels onto separate tiers

Acknowledgements

Thank you to Peter Cole, Gabriella Hermon, Nona Seko, Jefri Bilaut, and Yanti, without whom this project would not have been possible. Special thanks to Gillian Gallagher, Maria Gouskova, Juliet Stanton, Jailyn Peña, Alicia Chatten, Guy Tabachnick, and audiences at MorphBeer and PEP Lab for their feedback and thoughts. Also, my deepest gratitude to all the people of Bijaepunu who shared their knowledge and language with us. Unless otherwise cited, all data here were collected as part of an NSF sponsored training project (BCS – 1747801) in language documentation held in East Nusa Tengara during the summer of 2018.

References

Besnier, Niko. 1987. "An Autosegmental Approach to Metathesis in Rotuman." Lingua 73(3): 201–23. **Blevins, Juliette**. 2008. "Consonant Epenthesis: Natural and Unnatural Histories." In Linguistic Universals and Language Change, ed. Jeff Good. Oxford University Press, 79–107.

Blevins, Juliette, and Andrew Garrett. 1998. "The Origins of Consonant-Vowel Metathesis." Language 74(3): 508.

Edwards, Owen. 2016. "Metathesis and Unmetathesis: Parallelism and Complementarity in Amarasi, Timor." ANU.

Edwards, Owen. 2018. "The Morphology and Phonology of Metathesis in Amarasi." Morphology 28(1): 25–69.

Horwood, Graham V. 2004. Order without chaos: Relational faithfulness and position of exponence in Optimality Theory. PhD Dissertation. Rutgers.

Ito, Junko, and Armin Mester. 2003. Weak Layering and Word Binarity. In Honma, Takeru, Masao Okazaki, Toshiyuki Tabata and Shin-ichi Tanaka, eds. *A New Century of Phonology and Phonological Theory. A Festschrift for Professor Shosuke Haraguchi on the Occasion of His Sixtieth Birthday*. 26-65.

Manhitu, Yohanes. 2007. Kamus Ringkas Indonesia-Inggris-Dawan. Published online.

McCarthy, John J. 1986. "OCP Effects: Gemination and Antigemination." Linguistic Inquiry 17(2): 207–63. McCarthy, John J. 2000. "The Prosody of Phrase in Rotuman." In *Natural Language and Linguistic Theory*: 147-197.

Middelkoop, Pieter. 1963. Head Hunting in Timor and Its Historical Implications. Sydney: University of Sydney.

Steinhauer, Hein. 1993. Notes on verbs in Dawanese. In *Topics in descriptive Austronesian linguistics*, ed. Ger Reesnik, 130–58. Leiden: Vakgroep Talen en Culturen van Zuidoost-Azië en Oceanië.

Steinhauer, Hein. 1996. Morphemic metathesis in Dawanese (Timor). In *Papers in Austronesian linguistics no. 3*, ed. Hein Steinhauer, 217–32. Canberra: Pacific Linguistics.

Takahashi, Chikako. 2018. "No Metathesis in Harmonic Serialism." In the *Proceedings of the Annual Meetings on Phonology 5*.

8 Appendix 1: Prosodic Marking

- Uab Meto has both phonologically and prosodic/syntactically conditioned metathesis
- A previously-described example of the syntactically-conditioned type is **Rotuman**, spoken in Fiji (Besnier 1987, McCarthy 2000, Churchward 1967)
 - Rotuman: 'complete' and 'incomplete' phases several operations, which range from metathesis (CVCV → CVVC) to deletion (CVCV → CVC) and umlauting (CVCi → CV[+HIGH]C)
- In contrast, Uab Meto (descriptively) has the following:
 - Metathesis: Occurs in non-monosyllables with penultimate stress ... VC ↔ ... CV maun 'chicken (phrase-medial)' // manu 'chicken (phrase-final)'
 - a-Epenthesis: Occurs elsewhere (i.e. consonant-final, stress-final words & CCC clusters)
 nim 'five (phrase-medial)' // nima? 'five (phrase-final)'
 - **Consonant Insertion**/Deletion: Occurs at right morpheme edges of vowel-final morphemes $bifj\acute{a}e$ 'buffalo (phrase-medial)' // $bifj\acute{a}el$ 'buffalo (phrase-final)'

- Syntactic generalization: if a noun's right edge coincides with an nP edge, or a verb's with a vP edge, the Son@PREDGE constraint applies, meaning that you see either VC/CV metathesis, vowel epenthesis + a glottal stop, or consonant insertion
- Sometimes the prosodic edge is realized as a consonant: like ? in [nimα?] 'five' (23) (independently proposed for Austronesian in Blevins 2008)
- (19) Noun + Adjective
 - a. *maun muti?*] *PrEdge* chicken white 'white chicken'
 - b. *manu*] *PrEdge muti?* chicken white 'The chicken is white'
- (21) Noun + Noun Compounding
 - a. atóin káse] $_{PrEdge}$ man city 'city man'
 - b. ató**ni**]_{PrEdge}
 man
 'man'

- (20) Verb + Direct Object
 - a. bikase?i, au? ami]_{PrEdge}

 DEM horse, 1sG look.for

 The horse, I look for (it).
 - b. au? aim bikase?i]_{PrEdge}
 1SG look.for horse DEM
 I look for the horse.
- (22) Noun + Numeral
 - a. neon nima?] PrEdge day five 'day five/Friday'
 - b. *neno*]_{PrEdge} nim day five 'five days'
- Metathesis is blocked where it would lead to a *CCC cluster within a prosodic domain
- (23) a. $[faut muti?]_{PrEdge}$] 'white stone'

b. $[bael fe?u]_{PrEdge}$] 'new place'

[fatu klima]]_{PrEdge} 'spark stone' *[faut klima] [bale mnatu?]_{PrEdge}] 'place of gold' *[bael mnatu?]

9 Appendix 2: Consonant Insertion

- <u>Consonant Insertion</u> (voiced consonant/Ø alternation) occurs when vowel-initial suffixes are placed on a vowel-final stem
- This is because Uab Meto does not permit two vowels to be separated only by a morpheme boundary (*V-V)
- (24) Nominal Specificity Suffix -e

a. [nu] 'two' $[nu\beta - e]$ 'the two' (Middelkoop 1963) b. [meo] 'cat' $[meo\beta - e]$ 'the cat' (Middelkoop 1963) c. [bij]ael - e] 'the buffalo' d. [fe] 'woman' [fel - e] 'the woman' e. [fai] 'night' [faj] - e] 'the night' (Middelkoop 1963) f. [7ii] 'this' [7ij] - e] 'this (particular) one'

- The inserted consonant is highly predictable from the final vowel: u and $o \to \beta$, $i \to jj$, and $\epsilon \to l$
- One wrinkle is that SON@PREDGE should allow vowel-final words to occur at prosodic/syntactic edges, and yet consonant insertion occurs in these cases

```
(25) a. [f\acute{a}i] 'night (phrase-medial)' [f\acute{a}j] 'night (phrase-final)' b. [n\acute{u}a] 'two (phrase-medial)' [n\acute{u}\beta] 'two (phrase-final)'
```

• Descriptively, we can say that the set of voiced segments β , jj, and l are preferred at these edges, but that vowels will also suffice in certain situations – integrating consonant insertion into this analysis is left for future work